Ryan King

From: Martin Parker < Martin.Parker@northyorks.gov.uk>

Sent: 18 October 2011 15:34

To: ryan king

Subject: Re: Sherburn Highway Capacity Study

Follow Up Flag: Follow up Flag Status: Flagged

Ryan,

I have now looked at the information submitted by Persimmon / Redrow. My colleague Tim Coyne is currently dealing with an application for a development of 480 houses on the same site.

I have taken the information provided within the TA for this proposal and looked at capacity at the Kirkgate / Moor Lane traffic signal junction for the increased housing numbers.

The TA for 480 houses shows that:-

- 1) AM Peak Low Street to Finkle Hill 195 movements junction operating at 84% of capacity.
- 2) PM Peak Finkle Hill to Low Street 224 movements junction operating at 84% of capacity.

Using the figures for the same movements and recalculating the capacity for 900 houses this shows:-

- 1) AM Peak Low Street to Finkle Hill 303 movements junction operating at 121% of capacity.
- 2) PM Peak Finkle Hill to Low Street 333 movements junction operating at 125% of capacity.

Based on the above basic comparison the network, at this junction, can not sustain this level of development without suitable mitigating (if deliverable). The documents submitted by Persimmon / Redrow make no reference to any mitigation proposals. Therefore, unless they can demonstrate that the impact can be mitigated, at this junction and any others affected by the increased housing numbers, the proposed increase in the scale of development from 480 houses to 900 houses is not sustainable and would not be supported by the Highway Authority.

If you need any further information please let me know.

Regards

Martin Parker

>>> ryan king <<u>rking@selby.gov.uk</u>> 12/10/2011 10:16 >>> Dear Martin

Following our Core Strategy examination, which the Inspector (Mr Pike) has now allowed a suspension, he has requested we complete various outstanding matters which were rasised during the examination. The Inspector has requested we respond to information submitted by Persimmon Homes/Redrow Homes concerning highways capacity for additional residential development at Sherburn In Elmet.

Could you please have a look at the information provided by Mr Johnson on behalf of Persimmon Homes/Redrow Homes and provide a response by Friday (the Inspector has requested the documents by 15 October).

If you have any queries do not hesitate to contact me.

Kind regards.



RYAN KING

Assistant Policy Officer

Tel 01757 705101 Email info@selby.gov.uk Web www.selby.gov.uk Selby District Council Civic Centre, Doncaster Road, Selby Y08 9FT

The information in this e-mail, and any attachments, is confidential and may be subject to legal professional privilege. It is intended solely for the attention and use of the named addressee(s). Its contents do not necessarily represent the views or opinions of Selby District Council. If you are not the intended recipient please notify the sender immediately. Unless you are the intended recipient, or his/her representative, you are not authorised to, and must not, read, copy, distribute, use or retain this message or any part of it.

Access your county council services online 24 hours a day, 7 days a week at www.northyorks.gov.uk.

WARNING

Any opinions or statements expressed in this e-mail are those of the individual and not necessarily those of North Yorkshire County Council.

This e-mail and any files transmitted with it are confidential and solely for the use of the intended recipient. If you receive this in error, please do not disclose any information to anyone, notify the sender at the above address and then destroy all copies.

North Yorkshire County Councils computer systems and communications may be monitored to ensure effective operation of the system and for other lawful purposes. All GCSX traffic may be subject to recording and/or monitoring in accordance with relevant legislation.

Although we have endeavoured to ensure that this e-mail and any attachments are free from any virus we would advise you to take any necessary steps to ensure that they are actually virus free.

If you receive an automatic response stating that the recipient is away from the office and you wish to request information under either the Freedom of Information Act, the Data Protection Act or the Environmental Information Regulations please forward your request by e-mail to the Data Management Team (datamanagement.officer@northyorks.gov.uk) who will process your request.

North Yorkshire County Council.